

DATASHEET


Version: 05.10.2022

EP200ng is a non-GMO complementary feed produced from soybean meal fermented with lactic acid bacteria. EP200ng contains fermentation metabolites, including lactic acid, and gut flora stabilising lactic acid bacteria. The fermentation process makes the product highly digestible. EP200ng is suitable to promote healthy growth for young and vulnerable animals.

EP200ng can be used for up to four weeks as a dietary feed to stabilise digestive disturbances in case of risk of, during periods of, or recovery from digestive disturbance*. EP200ng should not exceed inclusion beyond 20% of the complete feed.



BROILERS



PIGLETS

NUTRIENTS

Dry Matter	890 g/kg
Crude Protein	495 g/kg
Crude Fat	23 g/kg
Crude Fibre	35 g/kg
Crude Ash	63 g/kg
Sugars	18 g/kg

ENERGY

ME Pigs	14.7 MJ/kg
ME Broilers	10.0 MJ/kg
ME Layers	10.4 MJ/kg

LACTIC ACID AND BACTERIA

Lactic acid	74 g/kg
Lactic acid bacteria**	>10 ⁶ cfu/g

* It is recommended that advice from a veterinarian be sought before use and before extending the period of use.

** Enterococcus faecium (NCIMB 10415)

AMINO ACIDS	GROSS	SID PIGS	SID POULTRY	
Lys	27.9	24.0	24.3	g/kg
Met	7.0	6.5	6.6	g/kg
M+C	14.6	12.8	13.6	g/kg
Thre	19.8	17.6	18.6	g/kg
Tryp	6.5	5.9	6.2	g/kg
Ile	23.1	21.0	21.7	g/kg
Arg	35.4	33.6	34.3	g/kg
His	13.6	12.2	12.9	g/kg
Leu	38.9	35.4	37.0	g/kg
Val	24.2	21.8	22.3	g/kg
Phen	26.5	24.4	25.2	g/kg
Tyr	18.7	17.0	17.6	g/kg

MINERALS

Calcium	2.6 g/kg
Phosphorus	7.3 g/kg
Dig. Phosphorus	4.7 g/kg
Sodium	0.2 g/kg
Potassium	21.7 g/kg
Chloride	0.3 g/kg

ANTINUTRITIONAL SUBSTANCES

TIA	< 0.5 mg/g
β-conglycinine	< 0.5 mg/g
Lectins	< 0.05 mg/g
Raffinose and Stachyose	< 0.5 %

EP200ng is a fermented complementary feed composed out of natural non-GMO raw materials. The figures are based on analyses representing an average. Some variance in chemical composition may occur.

PHYSICAL CHARACTERISTIC APPEARANCE:

Yellowish light brown meal product with a pleasant flavour of fermentation.

PACKAGE SIZE:

Bulk or in big bags.

STORAGE & SHELF LIFE OF NUTRIENTS:

12 months from production date when stored at 20°C or below. Shelf life will be shorter if stored at a higher temperature.

INSTRUCTIONS FOR USE:

	PERIOD	EP199 IN % OF COMPLETE FEED
PIGS		
Piglets	Before and after weaning	8-15%
	12-20 kg	1-8%
POULTRY		
Broilers	Until day 22	5-10%
	After day 22	2-5%

The product contains 7% lactic acid. Remember to optimise and reduce added acidifiers.